


**Table IA.1.a - Prevalence of Substance Use in Past 30 Days Among 6th GRADERS
Clallam County - HYS and CTC 2004**




6th GRADERS

	Alcohol	Cigarettes	Marijuana	Chewing Tobacco	Stimulants (Meth)*	MDMA-Ecstasy*
Num. 30 Day Use	57	23	21	21	1	2
Percent Use	10%	4%	4%	4%	0.3%	0.7%
Num. Respondants	584	589	577	590	301	301

*Use of stimulants, MDMA and cocaine are only asked on 8th, 10th and 12th grade HYS surveys.


**Table IA.1.b - Prevalence of Substance Use in Past 30 Days Among 8th GRADERS
Clallam County - HYS and CTC 2004**



8th GRADERS


	Alcohol	Cigarettes	Marijuana	Chewing Tobacco	Stimulants (Meth)	MDMA-Ecstasy
Num. 30 Day Use	143	72	83	24	9	6
Percent Use	23%	12%	13%	4%	1%	1%
Num. Respondants	620	618	617	619	617	617

**Table IA.1.c - Prevalence of Substance Use in Past 30 Days Among 10th GRADERS
Clallam County - HYS and CTC 2004**




10th GRADERS	Alcohol	Cigarettes	Marijuana	Chewing Tobacco	Stimulants (Meth)	MDMA-Ecstasy
Num. 30 Day Use	170	94	96	52	14	15
Percent Use	35%	19%	20%	11%	3%	3%
Num. Respondants	492	496	489	493	488	488

**Table IA.1.d - Prevalence of Substance Use in Past 30 Days Among 12th GRADERS
Clallam County - HYS and CTC 2004**



12th GRADERS	Alcohol	Cigarettes	Marijuana	Chewing Tobacco	Stimulants (Meth)	MDMA-Ecstasy
Num. 30 Day Use	190	100	79	48	7	9
Percent Use	44%	23%	18%	11%	2%	2%
Num. Respondants	428	429	428	430	419	419

**Table IA.2.a - Prevalence of LIFETIME Substance Use Among 6th GRADERS
Clallam County - HYS and CTC 2004**




6th GRADERS

	Alcohol	Cigarettes	Marijuana	Stimulants (Meth)*	Cocaine*	Inhalants
Num. 30 Day Use	180	92	39	8	9	67
Percent Use	31%	16%	7%	3%	3%	12%
Num. Respondants	579	582	573	303	301	575

*Use of stimulants and cocaine are only asked on 8th, 10th and 12th grade HYS surveys.

**Table IA.2.b - Prevalence of LIFETIME Substance Use Among 8th GRADERS
Clallam County - HYS and CTC 2004**




8th GRADERS

	Alcohol	Cigarettes	Marijuana	Stimulants (Meth)	Cocaine	Inhalants*
Num. 30 Day Use	309	179	145	16	16	63
Percent Use	50%	29%	24%	4%	3%	20%
Num. Respondants	617	617	617	455	464	311

*Use of inhalants is only asked on 6th grade HYS surveys.

**Table IA.2.c - Prevalence of LIFETIME Substance Use Among 10th GRADERS
Clallam County - HYS and CTC 2004**




10th GRADERS

	Alcohol	Cigarettes	Marijuana	Stimulants (Meth)	Cocaine	Inhalants*
Num. 30 Day Use	328	187	188	22	19	33
Percent Use	67%	38%	39%	7%	6%	16%
Num. Respondants	488	488	485	337	345	202

*Use of inhalants is only asked on 6th grade HYS surveys.

**Table IA.2.d - Prevalence of LIFETIME Substance Use Among 12th GRADERS
Clallam County - HYS and CTC 2004**




12th GRADERS

	Alcohol	Cigarettes	Marijuana	Stimulants (Meth)	Cocaine	Inhalants*
Num. 30 Day Use	336	215	210	16	19	22
Percent Use	79%	50%	49%	5%	6%	10%
Num. Respondants	428	429	428	315	328	220

*Use of inhalants is only asked on 6th grade HYS surveys.


**Table IB.1 - Prevalence of Substance Use in Past 30 Days by Grade and Type of Substance
Clallam County - HYS and CTC 2004**



	6th Grade		8th Grade		10th Grade		12th Grade	
	Num. with 30 day use	Percent of Students	Num. with 30 day use	Percent of Students	Num. with 30 day use	Percent of Students	Num. with 30 day use	Percent of Students
Alcohol	57	10%	143	23%	170	35%	190	44%
Cigarettes	23	4%	72	12%	94	19%	100	23%
Marijuana	21	4%	83	13%	96	20%	79	18%
Chewing Tobacco	21	4%	24	4%	52	11%	48	11%
Stimulants (Meth)	1	0.3%	9	1%	14	3%	7	2%
MDMA-Ecstasy	2	0.7%	6	1%	15	3%	9	2%

*Use of stimulants, MDMA and cocaine are only asked on 8th, 10th and 12th grade HYS surveys.


**Table IB.2 - Prevalence of LIFETIME Substance Use by Grade and Type of Substance
Clallam County - HYS and CTC 2004**



	6th Grade		8th Grade		10th Grade		12th Grade	
	Num. with Lifetime use	Percent of Students	Num. with Lifetime use	Percent of Students	Num. with Lifetime use	Percent of Students	Num. with Lifetime use	Percent of Students
Alcohol	180	31%	309	50%	328	67%	336	79%
Cigarettes	92	16%	179	29%	187	38%	215	50%
Marijuana	39	7%	145	24%	188	39%	210	49%
Stimulants (Meth)	8	3%	16	4%	22	7%	16	5%
Cocaine	9	3%	16	3%	19	6%	19	6%
Inhalants	67	12%	63	20%	33	16%	22	10%

Cocaine question only asked among 8th-12th grade in HYS survey. Inhalants question only asked among 6th grade in HYS survey.


**Table IB.3 - Prevalence of Binge Drinking by Grade
Clallam County - HYS and CTC 2004**



	6th Grade		8th Grade		10th Grade		12th Grade	
	Number of Students Using	Percent of Students	Number of Students Using	Percent of Students	Number of Students Using	Percent of Students	Number of Students Using	Percent of Students
Binge Drinking*	12	4%	79	13%	107	22%	124	29%
Alcohol Use in Past 30 Days	57	10%	143	23%	170	35%	190	44%

*Binge Drinking defined as 5 or more drinks on an occasion in past two weeks. Binge drinking questions were only asked among 8th-12th grades in HYS survey.


**Table IB.4 - Prevalence of Heavy Use of Cigarettes by Grade
HYS and CTC 2004**



	6th Grade		8th Grade		10th Grade		12th Grade	
	Number of Students Using	Percent of Students	Number of Students Using	Percent of Students	Number of Students Using	Percent of Students	Number of Students Using	Percent of Students
Heavy Cigarette Use*	0	0%	2	0.4%	9	3%	3	0.9%
Cigarette Use in Past 30 Days	23	4%	72	12%	94	19%	100	23%

*Heavy Cigarette Use defined as smoking more than 20 cigarettes a day. Heavy cigarette use questions were only asked among 8th-12th grades in HYS survey.


**Table IC.1 - Prevalence of 30 Day Use of CIGARETTES by Gender of Students
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use CIGARETTES	7	35	40	52
Number of Males in Sample	272	302	222	212
Percent of Males who use CIGARETTES	3%	12%	18%	25%
RELATIVE RISK Males:Females*
Num. Females who use CIGARETTES	16	37	52	48
Number of Females in Sample	310	316	265	215
Percent of Females who use CIGARETTES	5%	12%	20%	22%

*Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."


**Table IC.2 - Prevalence of 30 Day Use of CHEWING TOBACCO by Gender of Students
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use CHEWING TOBACCO	10	18	33	43
Number of Males in Sample	274	301	220	212
Percent of Males who use CHEWING TOBACCO	4%	6%	15%	20%
RELATIVE RISK Males:Females*	.	3.1	2.2	8.7
Num. Females who use CHEWING TOBACCO	11	6	18	5
Number of Females in Sample	309	318	265	216
Percent of Females who use CHEWING TOBACCO	4%	2%	7%	2%

*Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."


**Table IC.3 - Prevalence of 30 Day Use of ALCOHOL by Gender of Students
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use ALCOHOL	25	68	78	101
Number of Males in Sample	272	302	220	211
Percent of Males who use ALCOHOL	9%	23%	35%	48%
RELATIVE RISK Males:Females*
Num. Females who use ALCOHOL	31	75	89	89
Number of Females in Sample	305	318	263	216
Percent of Females who use ALCOHOL	10%	24%	34%	41%

*Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."


**Table IC.4 - Prevalence of BINGE DRINKING in Past Two Weeks by Gender of Students
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who are BINGE DRINKING	6	40	47	80
Number of Males in Sample	142	300	219	212
Percent of Males who are BINGE DRINKING	4%	13%	21%	38%
RELATIVE RISK Males:Females*	.	.	.	1.8
Num. Females who are BINGE DRINKING	6	39	58	44
Number of Females in Sample	163	316	264	215
Percent of Females who are BINGE DRINKING	4%	12%	22%	20%

*Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."

**Table IC.5 - Prevalence of 30 Day Use of MARIJUANA by Gender of Students
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use MARIJUANA	12	43	49	48
Number of Males in Sample	266	300	219	210
Percent of Males who use MARIJUANA	5%	14%	22%	23%
RELATIVE RISK Males:Females*	.	.	.	1.6
Num. Females who use MARIJUANA	9	40	44	31
Number of Females in Sample	305	317	261	217
Percent of Females who use MARIJUANA	3%	13%	17%	14%

*Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."

**Table IC.6 - Prevalence of 30 Day Use of STIMULANTS (METH) by Gender of Students
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use STIMULANTS (METH)	0	5	10	4
Number of Males in Sample	136	300	218	206
Percent of Males who use STIMULANTS (METH)	0%	2%	5%	2%
RELATIVE RISK Males:Females*	.	.	3.9	.
Num. Females who use STIMULANTS (METH)	1	4	3	3
Number of Females in Sample	160	317	261	212
Percent of Females who use STIMULANTS (METH)	1%	1%	1%	1%

*Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."

**Table IC.7 - Prevalence of 30 Day Use of MDMA (ECSTASY) by Gender of Students
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use MDMA (ECSTASY)	1	4	7	8
Number of Males in Sample	132	297	218	209
Percent of Males who use MDMA (ECSTASY)	1%	1%	3%	4%
RELATIVE RISK Males:Females*	.	.	.	8.2
Num. Females who use MDMA (ECSTASY)	1	2	7	1
Number of Females in Sample	159	315	260	214
Percent of Females who use MDMA (ECSTASY)	1%	1%	3%	0%

**Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."*

**Table IC.8 - Prevalence of LIFETIME Use of COCAINE by Gender of Students
Clallam County - HYS and CTC 2004**


Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use COCAINE	4	8	8	10
Number of Males in Sample	136	230	162	162
Percent of Males who use COCAINE	3%	3%	5%	6%
RELATIVE RISK Males:Females*
Num. Females who use COCAINE	5	8	11	9
Number of Females in Sample	161	234	174	165
Percent of Females who use COCAINE	3%	3%	6%	5%

**Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."*

Use of cocaine is only asked on 8th - 12th grade HYS survey.

**Table IC.9 - Prevalence of LIFETIME Use of INHALANTS by Gender of Students
Clallam County - HYS and CTC 2004**




	6th Grade	8th Grade	10th Grade	12th Grade
Num. Males who use INHALANTS	30	27	11	10
Number of Males in Sample	267	151	94	112
Percent of Males who use INHALANTS	11%	18%	12%	9%
RELATIVE RISK Males:Females*
Num. Females who use INHALANTS	36	36	21	12
Number of Females in Sample	303	160	100	107
Percent of Females who use INHALANTS	12%	23%	21%	11%

*Relative Risk is reported if there is a statistically significant difference between males and females. Relative Risks are read as "Males are ## (RR) times more likely than females to use..."

Inhalant use is only asked on 6th grade HYS survey.


**Table ID.1 - Prevalence of 30 Day Use of CIGARETTES by Use of Alcohol in Past 30 Days
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
# Alcohol Users who use CIGARETTES	19	53	75	73
Number of Alcohol Users in Sample	56	143	169	189
% of Alcohol Users who use CIGARETTES	34%	37%	44%	39%
RELATIVE RISK Alcohol Users:Non-Drinkers*	59.5	9.7	7.5	3.6
Num. Non-Drinkers who use CIGARETTES	3	18	19	25
Number of Non-Drinkers in Sample	526	473	322	237
% of Non-Drinkers who use CIGARETTES	1%	4%	6%	11%

*Relative Risk is reported if there is a statistically significant difference between students who drink alcohol and non-drinkers. Relative Risks are read as "Alcohol Users are ## (RR) times more likely than Non-Drinkers to use..."


**Table ID.2 - Prevalence of 30 Day Use of CHEWING TOBACCO by Use of Alcohol in Past 30 Days
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
# Alcohol Users who use CHEWING TOBACCO	13	15	45	38
Number of Alcohol Users in Sample	57	143	168	189
% of Alcohol Users who use CHEWING TOBACCO	23%	10%	27%	20%
RELATIVE RISK Alcohol Users:Non-Drinkers*	19.8	6.2	14.3	5.9
Num. Non-Drinkers who use CHEWING TOBACCO	6	8	6	8
Number of Non-Drinkers in Sample	522	472	320	238
% of Non-Drinkers who use CHEWING TOBACCO	1%	2%	2%	3%

*Relative Risk is reported if there is a statistically significant difference between students who drink alcohol and non-drinkers. Relative Risks are read as "Alcohol drinkers are ## (RR) times more likely than non-drinkers to use..."

**Table 1D.3 - Prevalence of 30 Day Use of MARIJUANA by Use of Alcohol in Past 30 Days
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
# Alcohol Users who use MARIJUANA	10	62	78	65
Number of Alcohol Users in Sample	55	141	167	189
% of Alcohol Users who use MARIJUANA	18%	44%	47%	34%
RELATIVE RISK Alcohol Users:Non-Drinkers*	10.4	9.9	8.3	6.2
Num. Non-Drinkers who use MARIJUANA	9	21	18	13
Number of Non-Drinkers in Sample	518	475	320	237
% of Non-Drinkers who use MARIJUANA	2%	4%	6%	5%

*Relative Risk is reported if there is a statistically significant difference between students who drink alcohol and non-drinkers. Relative Risks are read as "Alcohol drinkers are ## (RR) times more likely than non-drinkers to use..."

**Table 1D.4 - Prevalence of 30 Day Use of STIMULANTS (METH) by Use of Alcohol in Past 30 Days
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
# Alcohol Users who use STIMULANTS (METH)	1	8	9	7
Number of Alcohol Users in Sample	34	140	165	184
% of Alcohol Users who use STIMULANTS (METH)	3%	6%	5%	4%
RELATIVE RISK Alcohol Users:Non-Drinkers*	.	27.1	4.3	.
Num. Non-Drinkers who use STIMULANTS (METH)	1	1	4	0
Number of Non-Drinkers in Sample	266	474	319	234
% of Non-Drinkers who use STIMULANTS (METH)	0.4%	0.2%	1%	0%

*Relative Risk is reported if there is a statistically significant difference between students who drink alcohol and non-drinkers. Relative Risks are read as "Alcohol drinkers are ## (RR) times more likely than non-drinkers to use..."

**Table 1D.5 - Prevalence of 30 Day Use of MDMA (ECSTASY) by Use of Alcohol in Past 30 Days
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
# Alcohol Users who use MDMA (ECSTASY)	1	6	10	9
Number of Alcohol Users in Sample	34	138	165	186
% of Alcohol Users who use MDMA (ECSTASY)	3%	4%	6%	5%
RELATIVE RISK Alcohol Users:Non-Drinkers*	.	.	4.8	.
Num. Non-Drinkers who use MDMA (ECSTASY)	1	0	4	0
Number of Non-Drinkers in Sample	259	473	318	237
% of Non-Drinkers who use MDMA (ECSTASY)	0.4%	0%	1%	0%

**Relative Risk is reported if there is a statistically significant difference between students who drink alcohol and non-drinkers. Relative Risks are read as "Alcohol drinkers are ## (RR) times more likely than non-drinkers to use..."*